Notice of Allowability	Application No.	Applicant(s)	
	10/521,714	HEATH ET AL.	
	Examiner	Art Unit	
	Thao P. Le	2818	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>5/31/06</u> .			
2. The allowed claim(s) is/are <u>1-31</u> .			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 8/15/05 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☒ Examiner's Amendr 8. ☒ Examiner's Stateme 9. ☐ Other	(PTO-413), te nent/Comment	

Page 2

DETAILED ACTION

Examiner's Amendment

An examiner's amendment to the record appears below. Should the changes

and/or additions be unacceptable to applicant, an amendment may be filed as provided

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be

submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview

with Attorney Henry J. Daley, Ph.D, Tel. 202-344-4362, on Wednesday July 26, 2006.

The Application has been amended as follows:

Cancel Claims 32-37.

Information Disclosure Statement

The information disclosure statement (IDS) submitted on 08/15/05 was filed after

the mailing date of the application. The submission is in compliance with the provisions

of 37 CFR 1.97. Accordingly, the information disclosure statement is being considered

by the examiner.

Reason for allowance

Claims 1-31 are allowed. The following is an examiner's statement of reason for

allowance: None of the references of record teaches or suggests the claimed limitations

having a structure for use in fabricating wires and a method for making the structure

comprising: a superlattice comprising a template portion, the template portion comprising a plurality of channels, the channels have sidewalls, wherein the materials of the top surfaces and the channel sidewalls are different from the materials at the bottoms of channels, a wire-forming material in the form of coating that is located on at least a portion of the top surfaces, top surfaces and channel sidewalls, channel sidewalls and channel bottoms, or channel bottoms, and among other limitations cited in independent claims 1 and 18.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thao P. Le whose telephone number is 571-272-1785. The examiner can normally be reached on M-F (8-6).

Page 4

Application/Control Number: 10/521,714

Art Unit: 2818

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor David C. Nelms can be reached on 571-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Thao P. Le

Primary Examiner

Art Unit 2818

July 26, 2006.